

Prepared by and Return to:

Busch Law Firm, PLLC
5520 S. Harlan Street
Littleton, CO 80123

Re: Cell Site # CVL01221
Cell Site Name: Hwy 49 – Calaveritas Creek (CA)
Fixed Asset #: 10067401
State: California
County: Calaveras

**MEMORANDUM
OF
FIRST AMENDMENT TO COMMUNICATIONS SITE LEASE AGREEMENT**

This Memorandum of First Amendment to Communications Site Lease Agreement is entered into on this ____ day of _____, 2020, by and between the County of Calaveras, a municipal corporation, having a mailing address of 891 Mountain Ranch Road, San Andreas, California 95249 (“**Lessor**”) and New Cingular Wireless PCS, LLC, a Delaware limited liability company, having a mailing address of 1025 Lenox Park Blvd NE, 3rd Floor, Atlanta, GA 30319 (“**Lessee**”).

1. Lessor and Lessee entered into a certain Communications Site Lease Agreement (“**Lease**”) on the 12th day of September, 2005, as amended by that certain First Amendment to Communications Site Lease Agreement dated _____, 2020, for the purpose of installing, operating and maintaining a communications facility and other improvements. A Memorandum of Lease reflecting the Lease was recorded September 19, 2005, in Book 2005-21472, page(s) 1 – 8, in the public records of Calaveras County, State of California.
2. Lessor agrees to increase the size of the Premises to accommodate additional equipment. Lessor leases to Lessee the additional premises area as more completely described on attached **Exhibit B-1**.
4. This Memorandum of First Amendment to Communications Site Lease Agreement is not intended to amend or modify, and shall not be deemed or construed as amending or modifying, any of the terms, conditions or provisions of the Lease, all of which are hereby ratified and affirmed. In the event of a conflict between the provisions of this Memorandum of First Amendment to Communications Site Lease Agreement and the provisions of the Lease, the provisions of the Lease shall control. The Lease shall be binding upon and inure to the benefit of the parties and their respective heirs, successors, and assigns, subject to the provisions of the Lease.

IN WITNESS WHEREOF, the parties have executed this Memorandum of First Amendment to Communications Site Lease Agreement as of the day and year first above written.

LESSOR:


Calaveras County
a municipal corporation

By: _____
Print Name: _____
Its: _____
Date: _____

LESSEE:

New Cingular Wireless PCS, LLC,
a Delaware limited liability company

By: AT&T Mobility Corporation
Its: Manager

By: 
Print Name: David Warwick
Its: Area Manager Of
Date: Ran Construction

8/25/20

1. The Board of Directors of the Corporation shall have the authority to make, alter, amend, repeal, suspend, or terminate any resolution or action of the Board of Directors.

2. The Board of Directors shall have the authority to make, alter, amend, repeal, suspend, or terminate any resolution or action of the Board of Directors.

3. The Board of Directors shall have the authority to make, alter, amend, repeal, suspend, or terminate any resolution or action of the Board of Directors.

4. The Board of Directors shall have the authority to make, alter, amend, repeal, suspend, or terminate any resolution or action of the Board of Directors.

David Warwick
Area Manager Of
Pan Construction

David Warwick
Area Manager Of
Pan Construction

LESSOR ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California
County of Calaveras

On _____ before me,

(insert name and title of the officer)

personally appeared

_____,
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature _____

(Seal)

LESSEE ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California

County of CONTRA COSTA

On Aug 26, 2020 before me,
KAMAL TIC-KONGEAL Notary public
(insert name and title of the officer)

personally appeared
DAVID WARWICK

who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.



Signature Kamalatic Kongeal

(Seal)

EXHIBIT B-1

DESCRIPTION OF PREMISES

Page 1 of 6

to the Memorandum of First Amendment to Communications Site Lease Agreement dated _____, 20__, by and between the County of Calaveras, a municipal corporation, as Lessor, and New Cingular Wireless PCS, LLC, a Delaware limited liability company, as Lessee.

The Premises are described and/or depicted as follows:

Property Legal Description:

Lessor's property of which Premises are a part is legally described on the following three pages.

Commonly known as: 3600 Carol Kennedy Drive – Route 3, San Andreas, California
(County) APN: 052-003-018

Real property in the unincorporated area of the County of Calaveras, State of California, described as follows:

PARCEL 1

ALL THAT CERTAIN REAL PROPERTY SITUATED IN THE COUNTY OF CALAVERAS, STATE OF CALIFORNIA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

A PORTION OF THE SOUTHEAST QUARTER OF SECTION 33, AND A PORTION OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 34, TOWNSHIP 4 NORTH, RANGE 12 EAST, M.D.B. &M., AND A PORTION OF THE NORTHWEST QUARTER OF SECTION 3, AND THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 4, TOWNSHIP 3 NORTH, RANGE 12 EAST, M.D.B. &M., DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT FROM WHICH THE ONE-QUARTER CORNER OF THE AFORESAID SECTIONS 33 AND 34 BEARS NORTH 43° 36' 33" EAST, 1,470.30 FEET; THENCE FROM SAID POINT OF BEGINNING WITH TRUE BEARINGS SOUTH 35° 58' 40" EAST, 1,350.00 FEET; THENCE NORTH 54° 01' 20" EAST, 270.00 FEET; THENCE SOUTH 35° 58' 40" EAST, 2,270.00 FEET; THENCE SOUTH 54° 01' 20" WEST, 140.00 FEET; THENCE SOUTH 35° 58' 40" EAST, 1,290.00 FEET; THENCE SOUTH 54° 01' 20" WEST, 375.00 FEET; THENCE SOUTH 35° 58' 40" EAST, 122.77 FEET; THENCE WEST 425.88 FEET; THENCE NORTH 530.00 FEET; THENCE NORTH 44° 30' 00" WEST, 840.00 FEET; THENCE SOUTH 45° 30' 00" WEST, 250.00 FEET; THENCE NORTH 35° 58' 40" WEST, 3,560.00 FEET; THENCE NORTH 54° 01' 20" EAST, 650.00 FEET TO THE POINT OF BEGINNING. A PORTION OF THE ABOVE LAND LIES WITHIN THE UNION QUARTZ MINE IN SECTION 33, TOWNSHIP 4 NORTH, RANGE 12 EAST, M.D.B. & M., AND A PORTION LIES WITHIN FRAZIER PLACER MINE IN SECTION 3, TOWNSHIP 3 NORTH, RANGE 12 EAST, M.D.B. &M.

RESERVING ALL MINERAL RIGHTS 50 FEET BENEATH THE SURFACE AFTER THE AIRPORT RUNWAYS AND BUILDINGS HAVE BEEN CONSTRUCTED OR AFTER ANY ALTERATIONS OR ADDITIONS MADE IN THE FUTURE UPON SAID REAL PROPERTY EITHER RELATED TO AIRPORT OR TO ANY OTHER USE.

PARCEL 2

A STRIP OF LAND 60 FEET MINIMUM IN WIDTH FOR USE IN CONNECTION WITH AN ACCESS ROAD. SAID STRIP OF LAND SITUATED IN THE COUNTY OF CALAVERAS, STATE OF CALIFORNIA, BEING A PORTION OF THE N 1/2 OF SECTION 3, T. 3N., R. 12E., M.D.B. AND M., AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A 3/4" IRON PIN TAGGED R.C.E. 24207 ON THE SOUTHEASTERLY BOUNDARY LINE OF THE CALAVERAS COUNTY AIRPORT, SAID BOUNDARY LINE BEARS S 35° 58' 40" E, 1,290.00 FEET, AS SHOWN ON THAT CERTAIN MAP RECORDED IN BOOK 10 OF RECORDS OF SURVEY, PAGE 53, CALAVERAS COUNTY RECORDS.

SAID POINT OF BEGINNING BEARS N 35° 58' 40" W, A DISTANCE OF 129.45 FEET, FROM A 3/4" IRON PIN TAGGED L.S. 3606 MARKING THE SOUTHEAST END OF THE ABOVE DESCRIBED BOUNDARY LINE.

THENCE FROM SAID POINT OF BEGINNING N 82° 25' 30" E, A DISTANCE OF 234.18 FEET, TO A 3/4" IRON PIN TAGGED R.C.E. 24207.

THENCE ALONG A CURVE TO THE LEFT WITH A CENTRAL ANGLE OF 56° 24' 30" AND A RADIUS OF 380.00 FEET, AN ARC DISTANCE OF 374.11 FEET, TO A 3/4" IRON PIN TAGGED R.C.E. 24207.

THENCE N 26° 01' 00" E, A DISTANCE OF 1,162.88 FEET, TO A 3/4" IRON PIN TAGGED R.C.E. 24207 ON THE WESTERLY RIGHT-OF-WAY LINE OF STATE HIGHWAY ROUTE 49.

THENCE ALONG SAID RIGHT-OF-WAY LINE N 34° 34' 26" W, A DISTANCE OF 68.89 FEET, TO A 3/4" IRON PIN TAGGED R.C.E. 24207.

THENCE S 26° 01' 00" W, A DISTANCE OF 1,196.72 FEET, TO A 3/4" IRON PIN TAGGED R.C.E. 24207.

THENCE ALONG A CURVE TO THE RIGHT WITH A CENTRAL ANGLE OF 56° 24' 30" AND A RADIUS OF 320.00 FEET, AN ARC DISTANCE OF 315.04 FEET, TO A 3/4" IRON PIN TAGGED R.C.E. 24207.

THENCE S 82° 25' 30" W, A DISTANCE OF 266.62 FEET, TO A 3/4" IRON PIN TAGGED R.C.E. 24207.

THENCE S 35° 58' 40" E, A DISTANCE OF 68.12 FEET, MORE OR LESS, TO THE POINT OF BEGINNING. SAID PARCEL CONTAINS 2.44 ACRES MORE OR LESS AND IS SHOWN ON THAT CERTAIN MAP FILED IN BOOK 12 OF RECORDS OF SURVEY AT PAGE 22, CALAVERAS COUNTY RECORDS.

THIS GRANT OF EASEMENT IS MADE UPON THE FOLLOWING CONDITIONS:

1. RESERVING THE RIGHT TO USE SAID REAL PROPERTY UNTIL SUCH TIME AS IT IS USED BY GRANTEE.
2. RESERVING THE RIGHT TO IF AND WHEN A ROAD IS CONSTRUCTED UPON SAID REAL PROPERTY TO USE SAID ROAD.
3. THAT IF A ROAD IS CONSTRUCTED BY GRANTEE, IT WILL PLACE A GOOD AND SUFFICIENT CATTLE GUARD AT ITS ENTRANCE TO THE SO-CALLED AIRPORT SITE HERETOFORE DEEDED BY GRANTOR TO GRANTEE, SO THAT LIVESTOCK WILL NOT BE FREE TO ENTER THE SO-CALLED AIRPORT SITE AND WILL NOT BE FREE TO ENTER STATE HIGHWAY 49 RIGHT-OF-WAY. IN THE EVENT THAT GRANTEE SHOULD EVER DECIDE TO FENCE SAID EASEMENT, GRANTEE AGREES THAT IT WILL PROVIDE AT LEAST TWO GATES IN EACH FENCE SO THAT GRANTOR SHOULD BE ABLE TO PASS FREELY AND AT THEIR WILL THROUGH SAID FENCED EASEMENT WITH THEIR LIVESTOCK AND PERSON. THE LOCATION OF ALL GATES, IF EVER SAID EASEMENT IS FENCED, SHALL BE DETERMINED BY GRANTOR.
4. GRANTOR FURTHER AGREES THAT IT WILL IN NO WAY OBSTRUCT OR INTERFERE WITH THE FREE USE OF SAID EASEMENT AND GRANTOR FURTHER AGREES THAT SAID EASEMENT IS GRANTED TO A DEPTH OF 100 FEET BENEATH THE SURFACE OF SAID EASEMENT.

PARCEL 3

ALL THAT CERTAIN REAL PROPERTY SITUATED IN SECTION 3, T3N, R12E, M.D.M., COUNTY OF CALAVERAS, STATE OF CALIFORNIA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT A 3/4 IN. DIAMETER IRON PIN TAGGED R.C.E. 24207 AT THE POINT OF INTERSECTION OF THE SOUTHERLY BOUNDARY OF STATE OF HIGHWAY 49 AND THE WESTERLY BOUNDARY OF 60 FT. WIDE ROAD EASEMENT AS SHOWN ON THAT RECORD OF SURVEY RECORDED IN BOOK 12, PAGE 22 OF RECORDS OF SURVEY, CALAVERAS COUNTY RECORDS: THENCE, ALONG THE WESTERLY BOUNDARY OF SAID EASEMENT THE FOLLOWING COURSES: S 26° 01' 00" W, 1196.72 FT. TO A 3/4 IN. DIAMETER IRON PIN TAGGED R.C.E. 24207; THENCE ALONG A CURVE TO THE RIGHT TANGENT TO THE PRECEEDING COURSE, HAVING A CENTRAL ANGLE OF 56° 24' 30" AND A RADIUS OF 320.00 FT., 315.14 FT. TO A 3/4 IN. DIAMETER PIN TAGGED 24207; THENCE, S 82° 25' 30" W, 266.62 FT. TO A 3/4 IN. DIAMETER IRON PIN TAGGED, R.C.E. 24207 ON THE EASTERLY BOUNDARY OF THE PROPERTY OF CALAVERAS COUNTY AS CONVEYED IN BOOK 306, PAGE 427, CALAVERAS COUNTY OFFICIAL RECORDS; SAID POINT BEING THE TRUE POINT OF BEGINNING OF THE PARCEL HEREIN DESCRIBED. THENCE, FIRST, LEAVING SAID EASEMENT, AND ALONG THE EASTERLY BOUNDARY OF SAID CALAVERAS COUNTY PROPERTY N 35° 58' 40" W, 50.00 FT. TO A POINT; THENCE, S 66° 46' 35" E, 85.90 FT. MORE OR LESS, TO A POINT ON THE WESTERLY BOUNDARY OF AFORESAID EASEMENT; THENCE, ALONG THE WESTERLY BOUNDARY OF SAID EASEMENT, S 82° 25' 30" W, 50.00 FT. TO THE POINT OF BEGINNING.

APN: 052-003-018-000

Lease Area Sketch or Survey:

UTILITY NOTE:
 FROM RECORD INFORMATION, THE INFORMATION PROVIDED IS MARKED NOT EVERYTHING SHOWN IS EXISTING
 THE UTILITIES AS SHOWN ON THIS SET OF DRAWINGS WERE DEVELOPED FROM RECORD INFORMATION. THE INFORMATION PROVIDED IS MARKED NOT INTENDED TO BE A COMPLETE INVENTORY OF THE UTILITIES IN THIS AREA. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATION OF ALL UTILITIES (METEER, NON METEER AND METEER) AND PROTECT AND UTILITIES FROM ANY DAMAGE CAUSED BY CONTRACTOR'S ACTIVITIES.

EXISTING CONDITIONS:
 THESE DRAWINGS WERE PRODUCED WITH INFORMATION PROVIDED BY THE CLIENT. LINE'S, EASEMENTS, AND SETBACKS SHALL BE VERIFIED PRIOR TO START OF CONSTRUCTION. GEOSTRUCTURAL DOES NOT GUARANTEE THE ACCURACY OF SAID PROPERTY LINE, EASEMENTS AND SETBACKS.

SCOPE OF WORK DETAILS:


GENERAL:
 - NEW GENERAC DIESEL GENERATOR PROVIDED BY GENERAL DYNAMICS & INSTALLED BY GENERAL CONTRACTOR. SEE SHEETS E-1.0, E-1.1, E-1.2.
 - NEW CONCRETE PAD AND PROVIDED & INSTALLED BY GENERAL CONTRACTOR.
 - NEW GENERAC AUTOMATIC TRANSFER SWITCH PROVIDED BY GENERAL DYNAMICS & INSTALLED BY GENERAL CONTRACTOR. SEE SHEETS S-2, E-5.0, E-5.1.
 - CONTRACTOR SHALL RESTORE & REPAIR ANY DAMAGED AREAS CAUSED BY CONSTRUCTION TO ORIGINAL OR BETTER CONDITION.
 - INNER AND OUTER TANK TESTING DOCUMENTATION SHALL BE PROVIDED ONCE TANK IS IN PLACE IN ACCORDANCE WITH NFPA 30.
 - A CALIBRATION CHART OF PERMANENT AND DURABLE CONSTRUCTION SHALL BE LOCATED AT THE FILL BOX.

CONDUITS:
 - INSTALL PULL STRING IN EACH CONDUIT.
 - (1) NEW 2" AND (1) NEW 1" ELECTRICAL CONDUIT WITH CONDUCTORS TO BE INSTALLED BY GENERAL CONTRACTOR. SEE SHEETS E-1, E-2.
 - (2) NEW 1" ELECTRICAL CONDUITS WITH CONDUCTORS TO BE INSTALLED BY GENERAL CONTRACTOR. SEE SHEETS E-1, E-2.
 - (3) NEW 1" ALUMINUM CONDUIT PROVIDED & INSTALLED BY GENERAL CONTRACTOR. SEE SHEETS E-1, E-2.
 - (4) NEW 1" ALUMINUM CONDUIT PROVIDED & INSTALLED BY GENERAL CONTRACTOR. SEE SHEETS E-1, E-2.
 - NEW EXISTING CONNECTION FROM EXISTING GROUND RING TO NEW MECHANICAL CONNECTION AT GENERATOR. GENERAL CONTRACTOR TO VERIFY LOCATION IN FIELD. LOCATE GROUND RODS NO MORE THAN 8'-0" APART. SEE SHEET E-3.
 - CONTRACTOR TO PROVIDE NEW H-FRAME FOR AT&T INSTALLATION IF REQUIRED. MATCH EXISTING H-FRAME MATERIAL FOR CONSTRUCTION OF NEW H-FRAME. SEE SHEET S-2.

POWER ROUTING KEYED NOTES:
 (MTR) EXISTING AT&T AC BREAKER PANEL / MANUAL TRANSFER SWITCH THROUGH PROPOSED AT&T (-30'), COORDINATE PATH WITH INTERCEPT EXISTING CONDUIT AND CONDUCTORS AND REROUTE EXISTING AC LOAD CENTER.
 (AC) EXISTING AC LOAD CENTER.
 (CON) PROPOSED AT&T UNDERGROUND GENERATOR CONDUIT ROUTE (-10'). CONTRACTOR TO LOCATE EXISTING UTILITIES PRIOR TO EXCAVATION. SEE SHEETS E-1, E-2.
 (SUB) EXISTING 100A SUB-PANEL.
 SEE SHEET E-1 FOR SINGLE LINE DIAGRAM.

GENERATOR KEYED NOTES:
 (GTR) PROPOSED AT&T 20KW DIESEL GENERATOR W/ SOUND ATTENUATED ENCLOSURE, NORMAL/EMERGENCY TANK VENTING AND BASE FUEL TANK ON A CONCRETE PAD. SEE SHEETS S-1, E-1, E-2.
 (1) FUEL TANK SHALL BE PROVIDED WITH SPILL CONTROL WITH A SOLID FILL CONNECTION, AND WITH OVERFILL PREVENTION.
 (2) FUEL TANK NORMAL AND EMERGENCY VENTS SHALL TERMINATE AT LEAST 12'-0" ABOVE THE ADJACENT GRADE. SEE SHEET S-2.
 (3) NFPA 704 PLACARD AND OTHER SIGNAGE. SEE SHEET S-2.
ATS / EQUIPMENT KEYED NOTES:
 (MTR) FIRE EXTINGUISHER (2-A-10 OR APPROVED EQUAL) PER CFC 908.3.
 (MTR) FIRE EXTINGUISHER CABINET (BFC-7009 OR APPROVED EQUAL) MOUNT TO BUILDING WALL OR H-FRAME PER CFC 908.9.
 (MTR) REFERENCE SHUTOFF SWITCH, MOUNT TO BUILDING WALL OR H-FRAME PER CFC 908.9.
 (MTR) H-FRAME PER CFC 908.9 6'-0" MAX. ABOVE GRADE.
 (MTR) PROPOSED AT&T WI CAYLOCK MOUNTED ON NEW H-FRAME UNBRIPTED PANEL WITH 3/8" BRONZ CLEARANCE. SEE SHEET S-2.
 (MTR) PROPOSED H-FRAME WITH UNBRIPTED PANELS. SEE SHEET S-2.

ENLARGED SITE PLAN



SCALE: 1/4" = 1'-0" (11x17)
 SCALE: 1/2" = 1'-0" (24x36)

PROPOSED 12'-0" WIDE DOUBLE SWING GATE CENTERED ON FENCE. SEE SHEET S-3. LOCATE EXISTING UTILITIES PRIOR TO EXCAVATION.
 CONTRACTOR TO REMOVE ALL SIGNS FROM EXISTING FENCE AND REINSTALL ON NEW FENCE.

PROPOSED 8' TALL SECURITY CHAIN-LINK FENCE. SEE SHEET S-2 TO EXCAVATION.
 CONTRACTOR TO REMOVE SECTION OF EXISTING FENCE AND GATE AS SHOWN AND ATTACH EXISTING FENCE FABRIC TO NEW EXPANSION FENCE POSTS.

EXISTING 100A SUB-PANEL.
 SEE SHEETS E-1, E-2.
 CONTRACTOR TO LOCATE EXISTING UTILITIES PRIOR TO EXCAVATION.
 EXISTING AC LOAD CENTER.
 THROUGH PROPOSED AT&T (-30'), COORDINATE PATH WITH INTERCEPT EXISTING CONDUIT AND CONDUCTORS AND REROUTE EXISTING AC LOAD CENTER.

PROPOSED AT&T UNDERGROUND GENERATOR CONDUIT ROUTE (-10'). CONTRACTOR TO LOCATE EXISTING UTILITIES PRIOR TO EXCAVATION.
 EXISTING AC LOAD CENTER.
 THROUGH PROPOSED AT&T (-30'), COORDINATE PATH WITH INTERCEPT EXISTING CONDUIT AND CONDUCTORS AND REROUTE EXISTING AC LOAD CENTER.

PROPOSED AT&T 20KW DIESEL GENERATOR W/ SOUND ATTENUATED ENCLOSURE, NORMAL/EMERGENCY TANK VENTING AND BASE FUEL TANK ON A CONCRETE PAD. SEE SHEETS S-1, E-1, E-2.
 (1) FUEL TANK SHALL BE PROVIDED WITH SPILL CONTROL WITH A SOLID FILL CONNECTION, AND WITH OVERFILL PREVENTION.
 (2) FUEL TANK NORMAL AND EMERGENCY VENTS SHALL TERMINATE AT LEAST 12'-0" ABOVE THE ADJACENT GRADE. SEE SHEET S-2.
 (3) NFPA 704 PLACARD AND OTHER SIGNAGE. SEE SHEET S-2.

at&t Information Technology

GENERAL DYNAMICS

GEOSTRUCTURAL

REVISONS

NO.	DATE	DESCRIPTION	INT
1			
2			

CHECKED BY: GDD

THE INFORMATION CONTAINED IN THIS SET OF DRAWINGS IS FOR THE CLIENT'S USE ONLY. IT IS THE CLIENT'S RESPONSIBILITY TO VERIFY THE LOCATION OF ALL UTILITIES (METEER, NON METEER AND METEER) AND PROTECT AND UTILITIES FROM ANY DAMAGE CAUSED BY CONTRACTOR'S ACTIVITIES.

PROJECT: GENERATOR INSTALLATION
 10067401
 HWY 49 - CALAVERITAS CREEK

JURISDICTION USE:
 3600 CALIF. KENNEDY DR RTE 3
 SAN ANGELES, CA 95249

SHEET TITLE: ENLARGED SITE PLAN
 SHEET NUMBER: A-2